

**Timetric Indoor Solid Sealed Vacuum Circuit Breaker Parameter (Specification)**


Name		Unit	Parameter			
Rated voltage		kV	12	12	12	12
Operating current		A	630、 1250	630、 1250、 1600	1250、 1600	2000、 2500、 3150
Rated insulation level	1min power frequency withstand voltage	kV	42	42	42	42
	Lightning impulse voltage	kV	75	75	75	75
Rated short-circuit breaking current		kA	20	25	31.5	40
Rated short-circuit making current (peak value)		kA	50	63	80	100
Rated (peak) withstand current		kA	50	63	80	100
Rated short-time withstand current		kA	20	25	31.5	40
Rated short-circuit breaking current breaking times		次	50	50	50	30
Rated short circuit duration		s	4			
Rated operating sequence			Opening - 0.3 s - closing opening - 180 s - closing opening			

Wenzhou Shuyi Import and Export Co., Ltd.

Phone:+86-13736382016

E-mail:timetric8@gmail.com

		Opening - 180s - closing opening - 180s - closing opening (40kA)			
Mechanical life	次	20000	20000	20000	20000



**Timetric Indoor Solid Sealed Vacuum Circuit Breaker The user shall indicate:**

- a. Model, name and order quantity of circuit breaker;
- b. Rated voltage, rated current and rated short-circuit breaking current of the circuit breaker;
- c. Rated operating voltage of energy storage motor and opening/closing coil;
- d. Number of over-current tripping coils and tripping current value;
- e. Name and quantity of spare parts; f. Please contact the manufacturer in case of any ambiguity or special requirements.

**Timetric Indoor Solid Sealed Vacuum Circuit Breaker Details**



# Timetric

